



Voor verankering zie tekening S-UO-153 & S-UO-155



NOTES

Classifications:	Performance class : EXC3	Corresponding detail/calculation:	Document : 194022-0004
Functional tolerance class :	3		
Progression grade :	3P		
Material quality, unless noted otherwise:			
Roll-Sections	(NEN-EN 10025) : S355J2		
Plates T<=25mm	(NEN-EN 10025) : S355J2		
Welded Profiles	(NEN-EN 10025) : S355J2		
Hot Rolled Hollow Sections	(NEN-EN 10210) : D<=100 : S355J2 D=100 : S355J2		
Cold Formed Sections	(NEN-EN 10219) : D<=100 : S355J2		
Plates perpendicular enhanced to the rolling direction due to tensile load	(NEN-EN 10164) : T<=30mm : S355J2-Z35		
Bolt quality, unless noted otherwise:			
Anchors	(hot dip galvanized) : 4.6 (DIN6913 / 8.8 (straight)		
Nuts	(hot dip galvanized) : 8.8 (ISO 4032)		
Washers	(hot dip galvanized) : DIN 934		
Threaded ends	(hot dip galvanized) : 8.8		
Surface treatment:			
Treatment 1 :	(C5)		

5	18-01-21	DP	AF	Issued For Construction	Issued For Construction
4	20-11-20	DP	AF	Issued For Construction	Issued For Construction
3	13-11-20	DP	AF	Issued For Construction	Issued For Construction
2	23-09-20	DP	AF	Katernkoppjen aangestipt	Issued For Construction
1	18-09-20	DP	AF	Katernkoppjen aangestipt	Issued For Construction
0	29-07-20	DP	AF	Issued For Construction	Issued For Construction

revision date drawn check description status

client

BAM Bouw en Techniek BV

project

Dakconstructie AFAS Stadion

title

Bokken Mega Truss

order

194022-200

Oostingh Staalbouw BV
Postbus 3020
2220 CA Katwijk
Nederland

drawing size

A0

revision:

5

drawing number

S-UO-051

+31 (0)71 40 97000

info@oostingh.nl

