

[illegible]

Technical drawing of a bridge structure, showing a cross-section with dimensions and labels. The drawing includes a horizontal axis with stationing markers (1, 2, 3, 4, 5, 6) and a vertical axis with elevation markers (+3,850, ±0,000, -0,200, -1,210). The bridge structure consists of a main span supported by two piers and a smaller section at the right end. Key dimensions include a main span length of 7380, a pier width of 4815.5, and a total width of 7830. The bridge deck is labeled REZ 2-2 1:10. The drawing also shows a 3° slope and a 3650 vertical offset. The structure is supported by foundations with dimensions 2370, 2400, 4360, 1070, and 1470. The drawing includes a section line A-A and a section line B-B.

K22 A-A
1:50
TVAR DESKY

Technical drawing of a desk plan (TVAR DESKY) showing a complex, curved shape with dimensions and construction lines. The drawing includes a grid with horizontal lines 1-6 and vertical lines A-D. Key dimensions include a total width of 1744 mm, a depth of 7050 mm, and a central circular cutout with a radius of $R=1500$ mm. The drawing is labeled "K22 A-A" and "1:50".

OSA C
1:50

DETAIL B

DETAIL A

3°

10°

10°

10°

10°

3776.5

3406

3264

3850

1200

1010

2400

4360

1070

1470

+3,850

±0,000

-0,200

-1,210

-1,550

3995

Technical drawing of a bridge structure, showing a cross-section with dimensions and labels. The drawing includes a horizontal axis with points 3, 4, 5, and 6. The vertical axis has elevations: +3,850, ±0,000, -0,200, and -1,210. The structure consists of a central pier (TUBE Ø303.3) and two side piers (TUBE Ø303.3). The side piers are inclined at 10° to the vertical. The central pier is inclined at 3° to the horizontal. The side piers are labeled with dimensions: 3460 and 3417. The central pier is labeled with dimensions: 1070 and 1470. The drawing also shows a section line A-A and a section line B-B.

Technical drawing of a bridge cross-section showing a 2-lane highway with a 6.50m total width. The drawing includes dimensions for lane width (2x2.00m), shoulder width (0.75m), and various structural components like piles (PL 10'70 x 163, PL 10'62 x 145, PL 10'61 x 142, PL 12'350 x 500) and tubes (TUBE 383 x 3.3). It also shows elevation markers for ±0.000 and -0.200, and a vertical scale bar from 2 to 4.

[illegible]

Technical drawing of a square plate with a central circular hole and four anchor bolts. The plate has a square shape with a central circular hole. Four anchor bolts are positioned at the corners. Dimensions are provided for the plate, hole, and bolts. A section line C-C is indicated.

Dimensions and specifications:

- Plate size: PL 12"300 x 400
- Plate thickness: PL 10"67 x 133
- Central hole diameter: 2x PL 10"50 x 100 NS
- Anchor bolts: 4x ANCHOR M16
- Anchor bolt size: PL 10"60 x 150
- Section line: C-C
- Tube size: TUBE 168.3x6.3
- Dimensions (mm): 300, 150, 100, 50, 75, 250, 100, 400

[illegible]

- JINÉ NEZ VYZNAČENÉ PRACOVNÍ SPÁRY MUSÍ BÝT DOSOULADENY STÁTKEM
 - VEŠKERÉ JINÉ NEZ V TOMTO VYKRESĚ VYZNAČENÉ
 PROSTUPY MUSÍ BÝT DOSOULADENY STÁTKEM
 - OTVORY DO PRŮMĚRU 100 mm A VÍCE MUSÍ BÝT DOBŘE
 RTYANTY, PŘESNÁ POLHOVA PRO KONZULTACI S OSTATKEM
 OSAZENÍ PRŮCHODEK ELEKTRO A EPS PŘAVIDEL DLE
 PŘÍSLUŠNÝCH PROJEKTŮ
 - PŘED BETONÁŽÍ JE TREBA OSADIT VEŠKERÉ TRUBKOVANÉ ELEKTRO
 NÍM POVLIVENÍM PROTI DOBŘÍMTECH DRAŽÍ V BETONU
 - HROZÍ NÁRUŠENÍ KRYCÍ VRSTVY
 - DODATEČNÉ KOTVENÍ DO BETONU JE MOŽNÉ VE
 VZDLAČENOSTI ALESPON 100 mm OD HRANY BETONU
 - VEŠKERÉ VÍDELNÉ HRANY ZKOSIT VLOŽENÍM
 TROJHELNÍKOVÝCH LŮST 1:1 s 45°
 - ROZMĚRY OCÉLOVÉ KONSTRUKCE OVRÁTIT NA MÍSTĚ

BETON:
C 30/37 - XC4 - Dmax 22mm - S3

Beton ČSN EN 206+A1 a ČSN P 73 2404
POHLEDVÝ BETON DLE ASŘ

S235JR2 / 8.8
ANTI-KOROZÍVNÍ ÚPRAVA DLE ASŘ

#0.000 = +446,760 m.n.m. BpV				AT PRO, s.r.o. projekty, statika inženýrská činnost	
		SÍDLO: Delní 35, 592 14 Nové Veselí GSM: +420 775 941 555 E-MAIL: steidladam@gmail.com WEB: www.tp-projekt.cz IČ: 09795760			
VYPRACOVAL: Ing. Adam Steidl		Č. ZAKÁZKY: 200424		FORMÁT: 1050x594	
ZODPOVĚDNÝ PROJEKTANT: Ing. Adam Steidl		MĚŘITKO: 1:1		STUPEŇ: DPS	
INVESTOR:		DATUM: 05/2024			
MÍSTO STAVBY:					
STAVEBNÍ ÚŘAD:					
AKCE: NOVOSTAVBA RODINNÉHO DOMU					
D.1.2- STAVEBNĚ - KONSTRUKČNÍ ČÁST OBSAH VÝKRESU: PŘÍSTŘEŠEK - VÝKRES OCELOVÝCH KONSTRUKCÍ A VÝKRES TVARU ŽB DESKY					
ČÍSLO VÝKRESU D.1.2-101		REVIZE:		ČÍSLO PÁRE:	