

GENERAL NOTES:

- ERECT BEAMS WITH MARK IN UPRIGHT POSITION AT SAME END AS SHOWN ON PLANS.
- ERECT BRACING WITH MARK AT SAME END AS SHOWN ON PLANS.
- FOR FIELD BOLT GRADES, SEE POINT TO POINT BOLT LIST, U.N.O.
- WELD SIZES AND LENGTHS CALLED FOR ON THE DRAWINGS ARE THE NET EFFECTIVE REQUIRED (INCREASE WELD SIZE IF GAPS EXIST AT THE FAYING SURFACE).
- ELECTRODES FOR FIELD WELDS SHALL BE E70XX.
- ((XX-XX))-INDICATES EL. TOP OF STEEL.
- ((=XX))-INDICATES QTY OF HEADED STUDS. SEE STUD NOTES THIS PAGE.
- ALL WELD SHALL HAVE A FILLER METAL WITH CHARPY V-NOTCH TOUGHNESS OF 20 FT/LBS AVERAGE AT -20 DEGREES FAHRENHEIT AND 40 FT/LBS @ 70 DEGREES FAHRENHEIT. CERTIFY CONFORMANCE TO CHARPY V-NOTCH TOUGHNESS REQUIREMENTS WITH TESTS BY AN INDEPENDENT TESTING LABORATORY.
- (●) DENOTES DRAG CONNECTION
- (◐) DENOTES MOMENT CONNECTION

HEADED STUD NOTES:


- 1) REFER TO STUD SCHEDULE FOR QTY'S.
- 2) ALL STUDS ARE TO BE 3/4" DIA X 5"
- 3) STUD WELDING TO BE PER SECTION A - A & B - B/ E3008.

STUD SCHEDULED	
PROFILE	QTY.
s=3/4" DIA X 5"	1312
s1=3/4" DIA X 3 1/2"	19



KEY PLAN
ZONE 3 - STRUCTURAL FRAMING

FOR LEVEL 02 CANOPY
PLAN REF. TO DWG. E3004



LEVEL 02 FRAMING PLAN - ZONE 3

TOS EL. (U.N.O.) REF. 512'-4 1/2'
1/S-102

FIELD NOTE:
1.7" INDICATES ELEMENTS ARE PART OF THE LATERAL FORCE RESISTING SYSTEM (LFRS) OF THE BUILDING.

NOTE:
REF. TO DWG E3006 AND E3007 FOR ALL ELEVATIONS AND DETAILS THIS PAGE U.N.O.

NOTE:
FOR SECTION A-A THRU B1 - B1 REFER TO DWG. E3008 U.N.O.

WORK THIS DWG WITH: E3.E3004.E3005.E3006.E3007.E3008

JOB No.:	J-5583
12/18/2025	RE-ISSUED FOR CONSTRUCTION
11/05/2025	ISSUED FOR CONSTRUCTION
08/14/2025	ISSUED FOR APPROVAL
PAINT: 00ZZ	MAT'L SPEC:
HOLES:	REF. DRWG:
JUNIOR STEEL CO.	
134 W. 168th St. Gardena, California 90248	
Phone: (310) 856-6868 Lic. No. 825032 Fax: (310) 856-6872	
CONTRACTOR: ABBOT Construction	DRAWN: TWM
PROJECT: UCLA Sunset	DATE: 08/04/2025
LOCATION: 11 EASTON CIRCLE LOS ANGELES, CA90095	CHECKED: TFS
DESCRIPTION:	SCALE:
ERECD	F.O.B.
□	□
E3003	SHEET
1	REV